

<b>Notice of Allowability</b>	<b>Application No.</b>	<b>Applicant(s)</b>
	10/091,834 <b>Examiner</b>	NEAL, THOMAS F. <b>Art Unit</b>
	Frank M. Lawrence	1724

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to the amendment filed July 13, 2004.
2.  The allowed claim(s) is/are 2, 4-7, 14, 15, 22 (renumbered as 1-8).
3.  The drawings filed on 19 August 2002 are accepted by the Examiner.
4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a)  All    b)  Some\*    c)  None    of the:
    1.  Certified copies of the priority documents have been received.
    2.  Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6.  CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a)  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1)  hereto or 2)  to Paper No./Mail Date \_\_\_\_\_.
  - (b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
7.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1.  Notice of References Cited (PTO-892)
2.  Notice of Draftsperson's Patent Drawing Review (PTO-948)
3.  Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4.  Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5.  Notice of Informal Patent Application (PTO-152)
6.  Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_.
7.  Examiner's Amendment/Comment
8.  Examiner's Statement of Reasons for Allowance
9.  Other \_\_\_\_\_.

## **DETAILED ACTION**

### ***Allowable Subject Matter***

1. Claims 2, 4-7, 14, 15 and 22 are allowed.
2. The following is an examiner's statement of reasons for allowance: Applicant has amended each of the instant independent claims to incorporate limitations indicated as allowable in the previous office action. With respect to claims 2 and 6, the prior art fails to disclose or suggest each of the canisters having a substantially identically molded exterior, each interfitting with the frame structure in like manner in combination with the other recited elements. With respect to claim 4, the prior art fails to disclose or suggest using a filtering canister including a chamber housing in sealed, non-bypass filtering relation to the flow or water therethrough, a filter finer than the pre-filtration filter, in combination with the other recited elements. With respect to claim 14, the prior art fails to disclose or suggest using a carbon block filter as the post-filtration filter adapted to removed over 90% of particulates larger than about 1 micron in combination with the other recited elements. With respect to claim 15, the prior art fails to disclose or suggest using canisters having side walls and one end integrally molded, a closure at a further end detachably secured to the sidewalls, each end of the at least one filter chamber canister having a knife edge seal engaging an end of a contained cylindrical filter extending along the length of the chamber, each of the water inlet and water outlet of the at least one filter chamber opening to one of an exterior and an interior of the cylindrical filter so that water flows through the filter from the inlet to the outlet, in combination with the other recited elements. With respect to claim 22, the prior art fails to disclose or suggest a step of locating a generally hollow cylindrical filter with an interior and an exterior as recited in step (m) in combination

with the other method steps. The other outstanding rejections and objections have been overcome and withdrawn.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Frank M. Lawrence whose telephone number is 571-272-1161. The examiner can normally be reached on Mon-Thurs 7:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Duane Smith can be reached on 571-272-1166. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Frank M. Lawrence  
Primary Examiner  
Art Unit 1724

f1

*Frank Lawrence*

8-19-04